CANADIAN JOURNAL
OF CIVIL ENGINEERING

REVUE CANADIENNE
DE GÉNIE CIVIL

VOLUME 13, 1986

Author Index / Index des auteurs

Adams, J., see Mitchell, D., 535.
Adams, R.D., and Wake, W.C. Structural adhesive joints in engineering: Reviewed by V. M. Malhotra, 592.
Adjeleian, J., Allen, M., Humar, J.L., and McRostie, G. National aviation museum, Ottawa, 722.
Ahuja, H.N., see Institution of Civil Engineers, 398.
Aitcin, P.-C., see Fédération Internationale de la Précontrainte, 498.
Aitcin, P.-C., see Mehta, P. K., 499.
Allen, M., see Adjeleian, J., 722.
Arockiasamy, M., see Bhuyan, G.S., 261.
Arockiasamy, M., see Bhuyan, G.S., 382.
Ashenhurst, P.B., see Smith, A.A., 335.
Ashtakala, B., and Murthy, A.S.N. Intraprovincial trip distribution model, 438.
Basset, R., and Uzumeri, S.M. Effect of confinement on the behaviour of high-strength lightweight concrete columns, 741.
Bayliss, D.A., see Chandler, K.A., 592.
Beaudry, J.-P., and Langlois, A.P. Multiparametric sensitivity analysis of energy production projects, 121.
Becker, N.K., Patterson, H.R., and McCorquodale, J.A. Design and construction of a 3 km (2 mi) long shoreline protection system for the City of Luna Pier, 301.
Bérard, J., et Roux, R. La viabilité des bétons du Québec: le rôle des granulats, 12.
Berry, E.E., and Malhotra, V.M. Fly ash in concrete: Reviewed by Brian B. Hope, 771.
Bhuyan, G.S., Arockiasamy, M., Munaswamy, K., and Vosikovsky, O. Finite element analysis of cracked and uncracked tubular T-joint, 261.
Bhuyan, G.S., Arockiasamy, M., and Munaswamy, K. Three-dimensional stress analysis of tubular joint using rezone technique, 382.
Booy, C., and Lye, L.M. Accumulated basin storage as a factor in the correlation structure of annual peak flows on the Red River, 365.
Bradford, M.A., see Cuk, P.E., 693.
Bray, D.I., see Desplanque, C., 130.
Bridle, T.R., see Campbell, H.W., 569.
Buchanan, A.H., see Madsen, B., 218.
Burn, D.H., and McBean, E.A. Linear stochastic optimization applied to biochemical oxygen demand – dissolved oxygen modelling, 249.
Campbell, H.W., and Bridle, T.R. Sludge management by thermal conversion to fuels, 569.
Capps, J.F., see Institution of Civil Engineering, 771.
Caverson, D.L., Finch, G.R., and Smith, D.W. Ozone disinfection of primary effluent using a stirred tank reactor, 510.
Chan, T.W.K., Rezansoff, T., and Hosain, M.U. Behavior of headed shear studs in stub–girder stub assemblages, 106.
Chandler, K.A., and Bayliss, D.A. Corrosion protection of steel structures: Reviewed by Patrick P. J. Kerins, 592.
Chaudhry, M. H., and Schulte, A.M. Computation of steady-state, gradually varied flows in parallel channels, 39.
Chen, W.F., and Han, D.J. Tubular members in offshore structures: Reviewed by Richard G. Redwood, 399.
Cheung, M.S., see Zhao, C., 593.
Cheung, M.S., Jategaonkar, R., and Jaeger, L.G. Effects of intermediate diaphragms in distributing live loads in beam-and-slab bridges, 278.
Cheung, V.W.-T., and Tso, W.K. Eccentricity in irregular multistory buildings, 46.
Cheung, V.W.-T., and Tso, W.K. Eccentricity in irregular multistory buildings: Reply, 770.
Chow, K.C.A., see Watt, W.E., 293.
Clayton, A., and Lai, M. Characteristics of large truck–trailer combinations operating on Manitoba's primary highways: 1974–1984, 752.
Cluis, D., see Morin, G., 196.
Cluis, D., see Marceau, P., 352.
Constable, T.W., and Ross, G. Trace element leaching in bench-scale recirculating ash transport systems, 233.
Cook, D.J., and Dickinson, W.T. Impact of urbanization on hydrologic response of a small Ontario watershed, 620.
Couillard, D., et Lefebvre, Y. Indice de qualité de l'eau pour détecter l'impact de la pollution diffuse urbaine, 631.
Couillard, D., see Morin, G., 196.
Cuk, P.E., Bradford, M.A., and Trahair, N.S. Inelastic lateral buckling of steel beam–columns, 693.
Desplanque, C., and Bray, D.I. Winter ice regime in the tidal estuaries of the northeastern portion of the Bay of Fundy, New Brunswick, 130.
Dessouki, A.K., and Monforton, G.R. Stability analysis of soil–steel structures, 319.

DeVall, R.H., see Mitchell, D., 535.
Devata, M., see Jones, C.J.F.P., 400.
Dickinson, W.T., see Cook, D.J., 620.
Doblanko, B.W., see Simmonds, S.H., 327.
Dorton, R.A., see Gimsing, N.J., 401.
Doshi, H.B., see Timusk, J., 674.
Dupuis, P., see Ouellet, Y., 310.
Dupuis, P., see Ouellet, Y., 773.
Easa, S.M. Development of a simulation model for the Port of Thunder Bay, 59.
Elkelish, M.S., and Robinson, H. Longitudinal cracking of composite beams with ribbed metal deck, 733.
Elkelish, S., and Robinson, H. Effective widths of composite beams with ribbed metal deck, 575.
El Khashab, A.M. Form drag resistance of two-dimensional stepped steep open channels, 523.
Fahmy, E.H., and Robinson, H. Analyses and tests to determine the effective widths of composite beams in unbraced multistorey frames, 66.
Fédération Internationale de la Précontrainte. Practical design of reinforced and prestressed concrete structures: Reviewed by Denis Mitchell, 120.
Fédération Internationale de la Précontrainte. Design and construction of concrete sea structures: Reviewed by Pierre-Claude Aitcin and Jule Houle, 498.
Fenton, G.A., and Suter, G.T. Differential movements and stresses in high-rise masonry veneers: Analysis, 700.
Fenton, G.A., and Suter, G.T. Differential movements and stresses in high-rise masonry veneers: Case study, 713.
Ferahian, R.H. Seismic loading provision changes in National Building Code of Canada 1985: Discussion, 588.
Fielding, M.B. An analysis of pipe breakage in urban water distribution networks: Discussion, 116.
Finch, G.R., see Caverson, D.L., 510.
Fortin, M., see McBean, E., 86.
Frederking, R., Wessels, E., Maxwell, J.B., Prinsenberg, S., and Sayed, M. Ice pressures and behaviour at Adams Island, winter 1983/1984, 140.
Frenette, M., see Julien, P.Y., 162.
Frenette, M., et Julien, P.Y. LAVSED-I–Un modèle pour prédire l'érosion des bassins et le transfert de sédiments fins dans les cours d'eau nordiques, 150.
Fu, Z., see Zhao, C., 593.
Gauthier, J.-M., see Morin, G., 196.
Gimsing, N.J. Cable supported bridges, Concept and design: Reviewed by Roger A. Dorton, 401.
Glass, A.J., and Holtz, N.M. A relational database for building structures, 528.
Gorrie, J., see McBean, E., 86.
Gould, P.L. Finite element analysis of shells of revolution: Reviewed by N.K. Srivastava, 772.
Goulter, I.C. An analysis of pipe breakage in urban water distribution networks: Reply, 117.
Grouni, H., see Madsen, H.O., 400.
Hager, W.H. L'écoulement dans des déversoirs latéraux, 501.
Ham, P., see Lee, K.-B., 405.
Han, D.J., see Chen, W.F., 399.
Heidebrecht, A.C., and Tso, W.K. Seismic loading provision changes in National Building Code of Canada 1985: Reply, 588.
Hicks, D.A., see Institution of Civil Engineers, 590.
Hilton, B.L., see Oleszkiewicz, J.A., 423.
Hogg, W.D., see Watt, W.E., 293.
Holtz, N.M., see Glass, A.J., 528.
Hope, B.B., see Berry, E.E., 771.
Hosain, M.U., see Chan, T.W.K., 106.
Houle, J., see Fédération Internationale de la Précontrainte, 498.
Hrudey, S.E., see Kindzierski, W.B., 33.
Humar, J.L., see Adjeleian, J., 722.
Hutchinson, B.G., see Volet, P., 666.
Hutchinson, B.G. A note on the stabilities of work trip travel demands in Toronto, 389.
Hynes, T.P., Meadley, T., and Thompson, N. Effluent treatment experience at a high-grade uranium mine, 429.
Institution of Civil Engineers. Computer technology in construction: Reviewed by Hira N. Ahuja, 398.
Institution of Civil Engineers. Coastal engineering research: Reviewed by J. J. Sharp, 402.
Institution of Civil Engineers. Supervision of construction: Reviewed by Stephen Revay, 402.
Institution of Civil Engineers. Management of international construction projects: Reviewed by Donald A. Hicks, 590.
Institution of Civil Engineers. Flexible armoured revetments incorporating geotextiles: Reviewed by John F. Capps, 771.
Jaeger, L.G., see Cheung, M.S., 278.
James, W., see Shivalingaiah, B., 95.
Jategaonkar, R., see Cheung, M.S., 278.
Jofriet, J.C. Concrete water tanks in Ontario: Discussion, 117.
Jones, H. G., see Morin, G., 196.

Jones, C.J.F.P. Earth reinforcement and soil structures: Reviewed by M. Devata, 400.
Julien, P.Y. Comparison of MOBED and HEC-6 river flow models: Discussion, 396.
Julien, P.Y., see Frenette, M., 150.
Julien, P.Y., and Frenette, M. LAVSED-II–A model for predicting suspended load in northern streams, 162.
Kar, R. Structural design and seismic qualification of extra high voltage disconnect switch, 485.
Keenan, F.J., see Lepper, M.M., 445.
Kenfaoui, M., et Marche, C. Comment évaluer l'érosion d'une vallée sous l'écoulement de rupture d'un barrage, 474.
Kennedy, D.J.L., see Ratzlaff, K.P., 76.
Kennedy, D.J.L., see Temple, M.C., 606.
Kerins, P.P.J., see Chandler, K.A., 592.
Kindzierski, W.B., and Hrudey, S.E. Effects of phosphorus removal chemicals upon methane production during anaerobic sludge digestion, 33.
Krenk, S., see Madsen, H.O., 400.
Krishnappan, B.G. Comparison of MOBED and HEC-6 river flow models: Reply, 397.
Lai, M., see Clayton, A., 752.
Langlois, A.P., see Beaudry, J.-P., 121.
Lathem, K.W., see Watt, W.E., 293.
Lau, M.G. Torsional axisymmetric finite element model for problems in elasticity, 583.
Lee, K.-B., and Ham, P. A cost comparison between conventional and detained drainage systems, 405.
Lefebvre, Y., see Couillard, D., 631.
Lepper, M.M., and Keenan, F.J. Development of poplar glued–laminated timber. I: Tensile strength and stiffness of poplar laminating stock, 445.
Lind, N.C., see Madsen, H.O., 400.
Lo, R.C., see Mitchell, D., 535.
Logan, L., see Weeraratne, J.R., 203.
Lye, L.M., see Booy, C., 365.
Macnaughton, R.A. Wind resistance of a narrow partially built house, 375.
Madsen, B., see Spencer, R.A., 188.
Madsen, B., and Buchanan, A.H. Size effects in timber explained by a modified weakest link theory, 218.
Madsen, B., and Mindess, S. The influence of the energy stored in the test apparatus on the strength of lumber, 8.
Madsen, H.O., Krenk, S., and Lind, N.C. Methods of structural safety: Reviewed by Hid Grouni, 400.
Malhotra, V.M., see Swamy, R.N., 398.
Malhotra, V.M., see Berry, E.E., 771.
Mańko, Z. Thermal analysis of engineering structure by the finite strip method, 761.
Marceau, P., Cluis, D., et Morin, G. Comparaison des performances relatives à un modèle déterministe et à un modèle stochastique de température de l'eau en rivière, 352.
Marche, C., see Kenfaoui, M., 474.
Marsh, C., see Mazzolani, F.M., 260.
Massiéra, M., et Pelchat, C. Construction de l'évacuateur de crues Opinaca, 558.
Mavinic, D.S., see Turk, O., 600.
Maxwell, J.B., see Frederking, R., 140.
Mazzolani, F.M. Aluminum alloy structures: Reviewed by Cedric Marsh, 260.
McBean, E.A., see Burn, D.H., 249.
McBean, E., Fortin, M., and Gorrie, J. A critical analysis of residential flood damage estimation curves, 86.
McCorquodale, J.A., see Becker, N.K., 301.
McRostie, G., see Adjeleian, J., 722.
Meadley, T., see Hynes, T.P., 429.
Mehta, P. K. Concrete structure, properties and materials: Reviewed by Pierre-Claude Aitcin, 499.
Milne, W.G., and Weichert, D.H. Seismic ground-motion computations at low probabilities, 595.
Mindess, S., see Madsen, B., 8.
Mitchell, D., see Fédération Internationale de la Précontrainte, 120.
Mitchell, D., Adams, J., DeVall, R.H., Lo, R.C., and Weichert, D. Lessons from the 1985 Mexican earthquake, 535.
Monforton, G.R., see Dessouki, A.K., 319.
Morin, G., see Marceau, P., 352.
Morin, G., Couillard, D., Cluis, D., Jones, H. G., et Gauthier, J.-M. Modélisation des solides dissous en rivière à l'aide des composantes de l'écoulement, 196.
Morris, G.A. Engineering education in Canada–the early years, 25.
Mosley, W.H., and Spencer, W.J. Microcomputer applications in structural engineering: Reviewed by E. Whitman Wright, 258.
Munaswamy, K., see Bhuyan, G.S., 261.
Munaswamy, K., see Bhuyan, G.S., 382.
Murat, J.R., et Tinawi, R. La capacité portante à court terme de la glace de mer colonnaire annuelle, 171.
Murthy, A.S. N., see Ashtakala, B., 438.
Narayanan, R. Shell structures: Stability and strength: Reviewed by S. Shrivastava, 591.

Navin, F.P.D. Truck braking distance and speed estimates, 412.
Neill, C.R. Unusual Canadian floods and the Creager diagram, 255.
Nixon, D., see Zhao, C., 593.
Nowak, A.S., and Taylor, R.J. Reliability-based design criteria for timber bridges in Ontario, 1.
Oldham, W.K., see Rabinowitz, B., 345.
Oleszkiewicz, J.A., and Hilton, B.L. Anaerobic treatment of high-sulfate wastes, 423.
O'Neill, M.W., see Sheikh, S.A., 213.
O'Rourke, M., and Wood, E. Improved relationship for drift loads on buildings, 647.
Ouellet, Y., Dupuis, P., et Soulaïmani, A. Modélisation d'un écoulement tourbillonnaire en régime permanent, 310.
Ouellet, Y., Dupuis, P., et Soulaïmani, A. Erratum: Modélisation d'un écoulement tourbillonnaire en régime permanent, 773.
Packer, J.A. Design examples for HSS trusses, 460.
Patterson, H.R., see Becker, N.K., 301.
Pelchat, C., see Massiéra, M., 558.
Popovici, A., see Priscu, R., 259.
Prinsenberg, S., see Frederking, R., 140.
Priscu, R., Popovici, A., Stematiu, D., and Stere, C. Earthquake engineering for large dams: Reviewed by Thomas Vladut, 259.
Prowse, T.D. Ice jam characteristics, Liard–Mackenzie rivers confluence, 653.
Rabinowitz, B., and Oldham, W.K. Excess biological phosphorus removal in the activated sludge process using primary sludge fermentation, 345.
Rainer, J.H., and Swallow, J.C. Dynamic behaviour of a gymnasium floor, 270.
Ratzlaff, K.P., and Kennedy, D.J.L. Behaviour and ultimate strength of continuous steel plates subjected to uniform transverse loads, 76.
Redwood, R.G., see Chen, W.F., 399.
Revay, S., see Institution of Civil Engineers, 402.
Rezansoff, T., see Chan, T.W.K., 106.
Rezansoff, T., see Sparling, B., 681.
Robinson, H., see Fahmy, E.H., 66.
Robinson, H., see Elkelish, S., 575.
Robinson, H., see Elkelish, M.S., 733.
Ross, G., see Constable, T.W., 233.
Roux, R., see Bérard, J., 12.
Sangal, B.P. Recursion formula for unit hydrographs, 386.
Sayed, M., see Frederking, R., 140.
Schepers, J. A., see Temple, M.C., 606.
Schulte, A.M., see Chaudhry, M. H., 39.
Sharma, S.C., see Wyatt, J.J., 53.
Sharma, S.C., Tayebali, A., and Soliman, A.H. Some implications of the new speed–volume curves to highway user cost and sizing of roads, 241.
Sharp, J.J., see Institution of Civil Engineers, 402.
Sheikh, S.A., and O'Neill, M.W. Long-term behavior of expansive concrete drilled shafts, 213.
Shivalingaiah, B., and James, W. Storm water pollution modelling: first-order atmospheric dustfall processes that affect runoff quality, 95.
Shrivastava, S., see Narayanan, R., 591.
Simmonds, S.H., and Doblanko, B.W. Shear-moment transfer in flat plates, 327.
Slater, W.M. Concrete water tanks in Ontario: Reply, 118.
Smith, A.A., and Ashenhurst, P.B. RIVER4: a program for flow profile computation, 335.
Smith, D.W., see Caverson, D.L., 510.
Soliman, A.H., see Sharma, S.C., 241.
Soulaïmani, A., see Ouellet, Y., 310.
Soulaïmani, A., see Ouellet, Y., 773.
Sparling, A.B., and Woytowich, D.L. A new concept of upflow clarification in activated sludge separation, 517.
Sparling, B., and Rezansoff, T. The effect of confinement on lap splices in reversed cyclic loading, 681.
Spencer, R.A., and Madsen, B. Duration of load tests for shear strength, 188.
Spencer, W.J., see Mosley, W.H., 258.
Srivastava, N.K., see Gould, P.L., 772.
Stafford Smith, B., and Vezina, S. Eccentricity in irregular multistory buildings: Discussion, 769.
Stematiu, D., see Priscu, R., 259.
Stere, C., see Priscu, R., 259.
Suter, G.T., see Fenton, G.A., 700.
Suter, G.T., see Fenton, G.A., 713.
Swallow, J.C., see Rainer, J.H., 270.
Swamy, R.N. New concrete materials, Vol. 1: Reviewed by V. M. Malhotra, 398.
Tao, Z., see Zhao, C., 593.
Tayebali, A., see Sharma, S.C., 241.
Taylor, R.J., see Nowak, A.S., 1.

Temple, M.C., Schepers, J. A., and Kennedy, D.J. L. Interconnection of starred angle compression members, 606.
Thompson, N., see Hynes, T.P., 429.
Timusk, J., and Doshi, H.B. Effect of insulating sheathing on heat and moisture flow, 674.
Tinawi, R., see Murat, J.R., 171.
Trahair, N.S., see Cuk, P.E., 693.
Trahair, N.S. Design strengths of steel beam–columns, 639.
Tso, W.K., see Cheung, V.W.-T., 46.
Tso, W.K., see Heidebrecht, A.C., 588.
Tso, W.K., see Cheung, V.W.-T., 770.
Turk, O., and Mavinic, D.S. Preliminary assessment of a shortcut in nitrogen removal from wastewater, 600.
Turkstra, C.J., see Yao, J.T.P., 498.
Unny, T.E., see Weeraratne, J.R., 203.
Uzumeri, S.M., see Basset, R., 741.
Vezina, S., see Stafford Smith, B., 769.
Vladut, T., see Priscu, R., 259.
Volet, P., and Hutchinson, B.G. Explanatory and forecasting capabilities of trip distribution models, 666.
Vosikovsky, O., see Bhuyan, G.S., 261.
Wake, W.C., see Adams, R.D., 592.
Watt, W.E., Chow, K.C.A., Hogg, W.D., and Lathem, K.W. A 1-h urban design storm for Canada, 293.
Weeraratne, J.R., Logan, L., and Unny, T.E. Performance evaluation of alternate policies on reservoir system operation, 203.
Weichert, D., see Mitchell, D., 535.
Weichert, D.H., see Milne, W.G., 595.
Wessels, E., see Frederking, R., 140.
Wood, E., see O'Rourke, M., 647.
Woytowich, D.L., see Sparling, A.B., 517.
Wright, E. W., see Mosley, W.H., 258.
Wyatt, J.J., and Sharma, S.C. Classification of Saskatchewan highways according to type of road use: testing of a model, 53.
Yao, J.T.P. Safety and reliability of existing structures: Reviewed by Carl J. Turkstra, 498.
Young, R., see Zhao, C., 593.
Zhao, C., Fu, Z., Tao, Z., Young, R., and Cheung, M.S. Proceedings of the Second International Conference on Computing in Civil Engineering, 5–9 June 1985, Hangzhou, China: Reviewed by Don Nixon, 593.